# BIOLOGY PAPER 231/1 K.C.S.E 2002 MARKING SCHEME

- 1. Cephalothorax; prosona
- 2. a) Rhizobium Nitrogen fixing bacteria
  - b) Symbiosis / mutualism
- 3. a) Substances that activate enzymes
  - b) Metallic ions e.g. iron / mg / Zn / Cu /(accept correct iron forms)Fe 2+, Mg2+, Ca2+, Mn2+, Co2+, Kl, mo2+, (Reject wrong charges).
- 4. Endosperm material was being oxidized / hydrolyzed / converted into new cytoplasm new material for growth / food used for growth.
- 5. High yielding / hybrid vigor / heterosis; resistance to decrease early maturity. Resistance to drought / salinity.
- 6. Oxyhaemoglobin acc. HbO2 / HbO
- 7. Cattle are mainly grazers while others are browser.
- 8. a) Ball and socket
  - b) Hinge
- 9. Stomata, lenticels: (reject cuticle)
- 10. Converted into fatty acids and stored beneath skin (adipose tissue)
- 11. Y CHROMOSOME

Tuft and hair sprouting from pinna / baldness; hairy pinna;

## X CHROMOSOME

Colour blindness / haemophilia.

- 12. a) A A photosynthesis
  - B Decomposition / decay
  - C Respiration
  - b) X Bacterial
    - Y Fungi
  - c) Regulate the CO2 in the atmosphere.
- 13. a) Meiosis
  - b) Ovary
  - c) parent must be the 2n top; any 'n' is a gamete
  - d) Non dysfunctions
  - e) increased yields / highbred Vigor, Resistance decreases Resistance to drought.
- 14. (a) Emergence of present fauna and flora/ new life
  Term/ species/ organisms from pre-existing forms gradually over a long
  period of time.
  - (b) Standing upright/ erect posture. Higher intellectual capacity/ higher brain/bigger capacity; communication through language speech.
  - (c) Divergent basic structural form is modified to serve different functions; e.g. vertebrate forelimbs, break structure in birds/ feet in birds' convergent different structures are modified to pass or similar functions e.g. wings and birds and insects/ eye of human and octopus, vertebrates for humans e.g. squeal, legs of vertebrae and insects.

- 15. (a) Genus
  - (b) Ileum/ colon/ duodenum/ intestines/ of humans or intestines of pig
  - (c) Lack of elaborate elementary canal (simple guts) can tolerate raw corn Thick cuticle pellicle, reject the outer covering lays many eggs Mouthparts for sucking partly digested food
- 16. (a) R. Sieve pore

S- cytoplasmic strand, cytoplasmic filaments rej. Proto plasmic strand) Cell labeled T

- (b) Translocation (L is tied with structures)
- (c) Thickened and lignified.
- 17. (a) Bulbils/ suckers, Aerial tubers
  - (b) Plant with desired qualities is able to grow on an established root system which lack desired qualities
  - (c) Early maturity/ short life span

Good qualities of parents are retained

Independent of fertilization/ pollinated dispersal

Large areas covered in a short time have large store of food

- 18. (a) For exchanged axis award maximum 3 marks for points x identity
  The scale must however be correct. For graphs on separate axis mark both and award the highest mark.
  - (a) Axis = 2
  - (b) Scale = 1
  - (c) (plotting) = 1
  - (d) curves) = 1
  - (b) X = 120 + -3

$$Y = 140 + -3$$

(c) Person X is capable of regulating glucose while person y is likely to be diabetic.

X – Insulin

- (d) X insulin released, excess glucose is converted into glycogen (in liver) must be mentioned if insulin is not mentioned
  - Y Insulin not released, thus the decline is due to glucose being released in urine.
- (e) A.T.P / Adenosine triphosphate
- (f) Deaminated; resulting in formation of ammonia Ammonia combines with CO<sub>2</sub> to form urea ( and H<sub>2</sub>0); Urea is passed out in Urine carbohydrate group is oxidized/ stored as glycogen

- 19. Indole acetic acid/IAA/ Auxins
  - Promote cell division tropic responses, (accept cell division in cambium)
  - Promote formation of absecission layers/ bring abrupt leaf fall
  - Promote fruit formation ( parthenocarpy)
  - Promotes cell differentiation ( of vascular tissue)
  - Causes apical dominance/ inhabit growth and development of lateral buds
  - Promote growth of adventitious roots (on stems)
  - IAA + cytokine induce formation of callus tissue (during healing of wounds)
     N.B if this point for cytokines it should be marked

#### GIBBECETINS (accept GA3)

- Promotes cell division / cell elongation in dwarf varieties
- Parthenocapy/ initiating formation of IAA/ setting of fruits after fertilization
- Formation of side branches (of stems) and dormancy (in buds); inhibit growth of adventitious roots.
- Activates (hydrolytic) enzymes during germination/promotes germination of seeds/ breaks seed dormancy.
- Affects leaf expansion and shapes / retard leaf absecission

## CYTOKININS' Accept any correct example kinetin 8 zeatin

- Breaks dormancy (in some species); promotes flowering in some species
- Promotes cell division (in presence of IAA)
- Stabilizes proteins and chlorophyll
- Promotes root formation
- Low concentration encourages leaf senescence/ high concentration protein increased cell enlargement
- Promotes flowering (in some species)

## Ethylene / Ethene / C2114 (reject ethane)

- Stimulate lateral bud development
- Ripening of bananas/ fruits
- Induces thickening of stem/ inhabits stem elongation
- Promotes germination of certain seeds/ acc promotes flowering in pineapples
- Causes abscission pf leaves/ fruits/ leaf fall abscisic acid / ABA
- High concentration of ABA stomata closure (by interfering with uptake of potassium ions
- Inhibits germination/ growth of embryo/ cause seed dormancy
- Causes abscission of leaves/ fruits / leaf fall
- Inhibit elongation growth, inhibit sprouting of bud/ induces dormancy in buds ( accept Dormin causes/ dormancy in buds/ seeds

#### Traumatin

Heal wounds by callus tissue formation

#### **Florigens**

Promote flowering

#### 1. (a) Hydrostatic

- Exoskeleton
- Endoskeleton

## (b) Cervical vertabrae

Vertebraterial canals for passage of (vertebral) artery; atlas has (broad) surfaces for articulation with condylyses of skulls to permit nodding

- Axis has adenoid process/ protein Centrum to permit rotary/ turning act as a pivot for atlas/ skull/ movement of atlas/ Branched / forked/ short/ broad transverse processes, for attachment of (neck) muscles; ace zygopophysis, for articulation between vertebrae (acc. Vertebraterical canals and zygopophogen if shown on a diagram of the vertebrae
- Has a short reduce neural spine, for attachment of (neck) muscles, has wide / larger neural canal; for passage of spinal cord/ alternatively has wide neural for protection of spinal cord.

#### Lumbar

- Broad/ long/ neural spine for attachment of (powerful back) muscles long/ large/ well development/ transport processes for attachment of muscles (that maintain posture and flex the muscles)
- Has metamorphosis and hypothesis for muscle attachment large/ thick centrums for support
- Prezygapophysis/ post/ zygapophysis for articulation between vertebrae (acc. Anapophysis for hypopyses)

#### Sacral Vertebrae

- Anterior vertebrae has a well developed transverse process, which are fused to the pelvis girdle/ articulate with pelvic girdle
- Vertebrae fused, for strength transmit weight of the stationary animal to the rest of the body.
- Sacrum has a broad base/ short neural spine; for attachment of (back)