## 24.4 BIOLOGY (231)



## 24.4.1 Biology Paper 1 (231/1)

1.	(a)	A Sc	ientific system of	naming organi	isms using the g	generic an	d specific spe	cies name	S.
	(b)	- I	Placing/grouping Arrange informati Easy to study orga Helps in the under Monitoring the Characteristics of o	ion about living anisms according rstanding of even disappearance	g organisms into ng to groups. olutionary relati	orderly i	taxa; identificand sequential	l manner.	the
2.	(a)	• •		th of the actual ob	bject / specimen		(1 mark)		
	(b)	10 m	ake parts of speci	mens distinct /	clear.		(1 mark)		
3.	Presence	of cell	wall, which is rig	gid/ doesn't stro	etch/ is tough.		(2 marks)		
4.	<ul> <li>Secretion of substances/ hormones/ enzymes /glycoproteins /polysaccharides / synthesized proteins/ carbohydrates.</li> <li>Packaging of carbohydrates and proteins.</li> <li>Modification of carbohydrates and proteins/ formation of glycoprotein.</li> <li>Transport of carbohydrates/ proteins/ glycoproteins /lipids.</li> </ul>								
			n of lysosomes.	proteins grye	oprotems /mptu.		(3 marks)		
5.	Diffusion: Movement of substances from a region of high concentration to a region of low concentration (until equilibrium is reached). (1 mark)  Osmosis:- Movement of water or solvent molecules from a dilute / hypotonic solution to a mor concentrated/ hypertonic solution across a semi-permeable membrane; (1 mark)								
6.	Light ( Hydrog	(energy) gen aton	) is absorbed by n/ions and Oxyge	chlorophyll; p n gas. Light is	photolysis the l converted to for	light spit rm Adeno	s water mole osine Triphosp (3 marks)	cule; to for hate (AT)	orm P).
7.	(a)	(i)	Premolar/ mo				• .		
	(b)	(ii)	Has two (2) ro	oots/broad worl	king surface/cup	ps/ridges.	(2 marks)		
	<ul> <li>Blood vessels/capillaries which supply oxygen/nutrients/move carbon dioxide/waste products.</li> </ul>								aste
			Nerve endings for	sensitivity.			(2 marks)		
8.	(a) (b)		nin D/ Calciferol;			•	(1 mark)		
		• N	lerve impulse con luscle contraction	n.					
			lelps maintain osi Assists in active tr				-		
9.	■ Th	<ul><li>M</li><li>H</li><li>A</li></ul>	Auscle contraction lelps maintain ost	n. motic/anion – c ansport; needed	d in protein synt	thesis; in	respiration. (2 marks)	F	

 The root hairs are long/ narrow/ numerous to increase the surface area for absorption of water/ mineral salts.

	W	alls to speed ra	ate of absorption of water/mineral salts.	(2 marks)				
10.	(a)	Phloem.						
10.	(b)	K -	Phloem/ parenchyma cell.	(1 marks)				
		L -	Sieve tube element/sieve tube (cell).	(2 manka)				
-	(c)			(2 marks)				
			of nutrients to sieve tube element for transletes the activities of the sieve tube cell / sieve					
11.	(a) (b)	Valves		(1 mark)				
•	ζ-7		ave shaped to provide a large surface area force of nucleus hence more haemoglobin to car					
12.	(a)	Stomata; pr	neumatophores.	(2 marks)				
e. P	(b)		flattens, increasing volume of chest cavity;	while pressure decreases. (3 marks)				
13.	(a)	(i) (E	thanol/Ethyl alcohol) Carbon (IV) oxide, En	nergy (210KJ). (1 mark)				
		(ii) La	ctic Acid, Energy.	(1 mark)				
14.	(a)	(i) <i>H</i>	omeostasis: maintenance of a constant inter	nal environment. (1 mark)				
		en	smoregulation: mechanisms which regulation of waternal environment of an organism/regulation of waternal environment of an organism in the book	ter and solutes/salt balance of the				
	(b)	Insulin. Glucagon.		(2 marks)				
15.	(a)	Population: the number of organisms of a species occupying a given habit (1 mark)						
			y: Population of different species of plant t/co-exist/living/interacting with each other.					
	(b)		apture – recapture/total count.	(1 mark)				
16.		(ii) Li	ne transect/ Belt transect/ quadrant.	(1 mark)				
10,			a hook-like structure which raptures walls of nber of eggs to ensure survival.	intestines or bladder.				
			sucker for attachment on human skin which	it digests.				
			for swimming on each of a host in water. ed association between male and female to e	ensure that fertilization takes place.				
	• /	Adult tolerates	low (O <sub>2</sub> ).	•				
			nemicals against antibodies of host.					
	<ul> <li>Larva encysted to survive adverse conditions.</li> <li>Larva/egg secretes high enzymes which softens tissue for ease of penetration.</li> </ul>							
	-		· · · · · · · · · · · · · · · · · · ·	(2 marks)				
17.	(a)	(i) A	naphase I	(1 mark)				
		(11) ·	Centromere of bivalent pair not split.					

Many mitochondria (in cytoplasm) to supply energy for active transport of mineral salts/ thin

	•	Homologo	us chroi	nosomes separate; arè moving towards p	oles of the cell.		
	:				(2 marks)		
	(b)	Spind	le fibre(	s).	(1 mark)		
10							
18.	_	O.C.C.					
	-			rit undesirable characteristics from parer	nts.		
	-	Sexual rep	roductic	n takes a long time.			
	-	rewer ours	pring ar	e produced.			
	•	involves tv	vo dille	rent sexes (which must mate).	(2 marks)		
19.	(a)	Low to	emperat	ure; light (O <sub>2</sub> ); water/ water moisture.	(2 marks)		
	(b)	Hypoc	otyl.		(1 mark)		
<b>2</b> 0.	(a)	Allele	refers to	alternative form of a gene; one of two	or more alternative states of a gene		
		of two	or more	e states of a gene.	(1 mark)		
	(b)	(i)		tion: Some bases nucleotides of a gene re	eversed. (1 mark)		
		(ii)	Inver	sion: The order of some bases nucleotid	es of a gene reversed		
					(1 mark)		
	(c)	A cros	s made	between a homozygous recessive parent	and a parent of unknown genotype		
		(to det	ermine	whether the unknown type is homozygou	is or heterozygous for a dominant		
		gene).			(1 mark)		
21.	(a)	A situa	ation whent funct	ere organisms have a homologous structions; so as to grow to different ecological	al niches/habitat.		
	(L)	The			(1 mark)		
	(b)	ine or	ganisms	s mutate.	(1 mark)		
22.	(a)	Brain/	Spinal c	ords/Central nervous system.	(1 mark)		
	(b)	(i)	Moto		(1 mark)		
		(ii)	P: De	ndrites.			
			<b>Q</b> :Ax	on / Axoplasm.	(2 marks)		
23.	(a)	Indole	Acetic .	Acid.	(1 mark)		
	(b)	Growt	h respon	se of part of a plant when in contact wit			
					(1 mark)		
24.	(0)	Vortob	raterial	oama!	27 . 1)		
24.	(a)	Verteu	rateriai	canai.	(1 mark)		
	(b)	■ C	ollenchy	ma			
			lerench				
			•	ancheid and vessels.	(2 marks)		
					, ,		
<b>25</b> .	(a)	Acidic	mediun	n due to presence of hydrochloric acid. (	1 mark)		
	(b)			ure, extreme (changes) pH.	(1 mark)		
	(c)	Increas	sed pres	ence of villi; coiled.	(2 marks)		
<b>2</b> 6.							
	•	Time of bir					
	•	Breast feed	ing.		(1 mark)		
24.4.2	Biology Paper 2 (231/2)						
1.	(a)	K	-	Pleural membrane(s).			
		L	-	Alveolus/Alveoli.			

Intercostal muscles/internal and external muscles. M (3 marks) b) Has ring of cartilage, which keeps it open at all times. Cilia that move mucus/particles to top of the trachea. Mucus to trap dust/solid particles/micro organisms. Hollow for passage of air. (3 marks) (c) Diffusion. (1 mark) Mycobacterium tuberculosis. (1 mark) d) Excess amino acids are deaminated/amino group is removed. Amino group is converted 2. (a) to ammonia, which combines with carbon dioxide (in ornithine cycle) to form urea. The carbohydrate group is converted to glucose for respiration/glycogen for storage. (3 marks) (b) Glomerulus; Bowman's capsule. Proximal convoluted tubule; distal convoluted tubule. (3 marks) (c) (i) Production of copious urine/large amounts of dilute urine. (ii) Diabetes insipidus. (2 marks) 3. (a) (i) **Protandry:** a condition in which the male parts/ anthers/ stamens of a flower mature before the carpel/ stigma/ pistil/ female parts. (1 mark) (ii) Self-sterility: Pollen grains from anthers of a flower are sterile/ fail to germinate on

.

Antipodal cell; antipodals, embroysac. Polar nucleus or Polar nuclei.

Ovum/egg cell.

the stigma of the same flower or flower on the same plant. (1 mark)

(3 marks)

(ii)

(i)


Secretes enzymes that digest the stigma/style/ovary tissue.

Offer passage for male nuclei to ovum and polar nuclei/embryosac.

(2 marks)

(c)

(b)



(1 mark)

4. (a)

Type of Muscle

- (i) Skeletal/striated/stripped muscles
- (ii) Smooth muscles
- (iii) Cardiac muscles

Where found

On bones

Alimentary canal/blood vessels

In the heart

(3 marks)

(b) Ball and socket joint allows movement in all planes (360°) while Hinge joint allows movement in one plane (180°).

(1 mark)

(c)

- Shock absorber/ distributes pressure/ cushions.
- Lubricates joints/ reducing friction.
- Provides nourishment to the cartilage.

(2 marks)

(d)

- Supports/ protects the delicate inner parts.
- Waterproof/prevents drying up of the body.
- Provides a surface/ space for muscle attachment.

(2 marks)

(a)

(i) Parental phenotypes purple grains x purple grains.

 Genotypes GG × Gg;

 Gametes
 G

 G
 GG

 G
 GG

 G
 GG

 G
 GG

 G
 GG

 G
 GG

Genotypic ratio 2GG: 2Gg

1:1

(5 marks) ~(1 mark)

(ii) All offspring have purple grains.

Genetic manipulation to produce desired characteristics.


(1 mark)

(c) A situation where offspring show characteristics which are superior to either of the parental stocks.

6. (a)

(b)

## GRAPH OF THE AMOUNT OF SUGAR AGAINST TIME



(6 marks)

- (b) (i) 15 45hrs; 9.45pm (ii) 12.45hrs; 12.45pm
  - 12.45hrs; 12.45pm (2 marks)

(c) 0.80 grammes/16cm<sup>3</sup>

• 0.81 grammes (1 mark)

(d) Stored sugar.

Photosynthesis had started taking place. (2 marks)

(e)
(i) 0.645hrs to 15.45 hrs: Fast/high/rapid increase in sugar level; due to photosynthesis; and accumulation of sugar (above the ring).

(ii) 15.45 hrs to 00.45hrs: Decrease in sugar level due to respiration/ slowed down rate of photosynthesis.

(2 marks)

(f) Sieve tube elements/Sieve elements/Sieve tubes; cytoplain study /filaments/Protein fibres/filaments. (2 marks)

(g)

- Amino acids;
- Hormones;
- Oils/lipids
- Resins:
- Vitamins.

(2marks)

7. The outer ear/pinna collects/channels sound waves (down the) auditory canal/meatus. The auditory canal concentrates /directs sound waves to the tympanic membrane/tympanum/ear drum which sets into vibration/vibrates/converts sound waves into vibrations. The vibrations are transmitted to the ear ossicles malleus incus and stapes that amplify the sound vibrations. The vibrations are then transmitted to the oval window which amplifies vibrations/transmits to the fluids in the cochlea. The sensory hairs/cells are set into Endolymph and Perilymph producing nerve impulses in the auditory nerve which transmit nerve impulses (by the auditory nerve) to the brain (for interpretation); for hearing.

In the inner ear are semi-circular canals/ utriculus/ suculus/ vestilular apparatus which become stimulated due to movement of the fluids/endolymph in them generating sensory impulses. The auditory nerve transmits impulses to the brain (for interpretation); of the position/positive balance of the body. The Eustachian tube connects the middle ear to the back of the throat and equalizes the air pressure in the middle ear with the atmospheric air pressure. (20 marks)

8.

Domestic effluents/ sewage/faeces/urine: nitrogenous wastes, garbage, detergents pollute water.
 Pollution caused by domestic effluents may be controlled by treating domestics waste using biotechnology, banning the use of phosphate – based detergents, using plastic pipes instead of those made from lead and recycling of garbage.

Industrial wastes/ radioactive wastes: heavy metals in industrial wastes include lead/zinc/copper chromium/mercury/ hot water/ hot effluents which pollute water. Pollution caused by industrial wastes may be controlled by treating/ cooling industrial wastes/ carrying out environmental impact assessment before establishment of industries.

Spillage of oils: oil spillage may be controlled by cleaning spilled oil/biotechnology and penalizing the companies /industries/individuals which cause oils spills/water pollution.

Agro chemicals: these include inorganic fertilizers; herbicides/insecticides/pesticides/fungicides. Pollution caused by agrochemicals may be controlled by using mechanical/biological control of weeds/pests, biodegradable organic fertilizers/herbicides/insecticides/pesticides, organic farming/educating farmers on use of correct amounts of agrochemicals.

• Silting: soil erosion contributes to silting and may be controlled by appropriate farming practices/contour farming/reafforestation/building gabions/terracing. (20 marks)

## 24.4.3 Biology Paper 3 (231/3)

			•	,		
1	(a)		*			
		3(a)	Leaves	ed/saw like/teeth	like.	
		<b>4(b)</b>	Leaves	opposite.		
		5(a)	Leaves	pinnate.		(3 marks)
(b)						
(0)		Spec	imen	Identity	Stong follow	J
			P	Compositae;	Steps follow 1b,5a,6a	wea
			Q	Nyctaginaceae;	1a,2a,3b	
			Ŕ	Commelinaceae;	1a,2b	
			S	Bignoniaceae;	1b,5b	
			T	Papilionceae;	lb,5a,6b	
			U	Malvaceae;	la,2a,3a,4a	
			V	Verbenaceae;	1a,2a,3a,4b	
				ŕ	,,,,,,	(12 marks)
	(a)	Food s	ubstance:	Starch		
	(-)			(1 mark)		
		Obser	vation: Rh	(2) drops of iodine to solut ush black/Blue/black.	ion P.	(1 mark)
			usion: Star			(1 mark)
		-	-orozz Stur	on present.		(1 mark)
	(b)	Food s	ubstance:		(1 mark)	
		Proced	lure: To (1	al amount of Be	nedict's solution/S.	
		watiii/	nearbon th	ie mixture.		(2 marks)
		Observ	v <b>ation:</b> Gre	en to yellow to orange/bre	own.	(1 mark)
		Conclu	ısion: Redu	icing sugar present.		(1 mark)
	(c)	Proced	lure Place	a drop of colution D auto	£14.	
	(•)	X 1000	uic. I lacc	a drop of solution P onto a	i filter paper. Ge	
		Observ	ation: No	permanent translucent spo	t/mark	(2 marks)
		Conclu	sion: Lipic	ls absent.	VIIIaIK.	(1 mark)
						(1 mark)
	(a)	J		Lungs.		
		K		Gills.		(2 marks)
	(b)	Gagaan	a aval	/ 1 · · · · ·		
	(0)	Gaseou	s exchange	/external respiration.		(1 mark)
	(c)					
		• X	- I	Ring of cartilage.		
		• Y		Lung.		
		• Z		Heart.		(3 marks)
						(5 man ray
	(d)	(i)	1: Gill ra			
			2: Gill ar			
			3: Gill fil	aments.		(3 marks)
(ii	)					
(11		Rakelik	e/projection	ns for trapping solid particl	ea.	
	•	Rakelike	e/pointed/to	both like/needle like project	tions for transis	alainvinalfiltarin 1
		particles	form reacl	hing and damaging the fila	ments	Rysicamia, migring solid
	•	Many/nı	umerous/lo	ng/filaments to increase su	rface area for ga	seous exchange
						(4 marks)

(4 marks)