29.6.3 Chemistry Paper 3 (233/3)

Name	
233/3	
CHEMISTRY	Candidate's Signature
Paper 3	
PRACTICAL	Date
Oct./Nov. 2008	·
$2\frac{1}{4}$ hours	

THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education CHEMISTRY Paper 3 PRACTICAL $2\frac{1}{4}$ hours

Instructions to candidates

Write your name and index number in the spaces provided above. Sign and write the date of examination in the spaces provided above. Answer ALL the questions in the spaces provided in the question paper.

You are **NOT** allowed to start working with the apparatus for the first 15 minutes of the $2\frac{1}{4}$ hours allowed for this paper. This time is to enable you to read the question paper and make sure you have all the chemicals and apparatus that you may need.

All working MUST be clearly shown where necessary.

Mathematical tables and silent electronic calculators may be used.

For Examiner's use only

Question	Maximum Score	Candidate's Score
1	22	
2	09	
3	09	
Total Score	40	

This paper consists of 8 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and no questions are missing.

- 1 You are provided with:
 - solid A
 - 2.0M hydrochloric acid, solution B.
 - 0.1M sodium hydroxide.

You are required to determine the enthalpy change ΔH , for the reaction between solid **A** and one mole of hydrochloric acid.

Procedure A

Using a burette, place 20.0cm³ of 2.0M hydrochloric acid, solution B in a 100ml, beaker. Measure the temperature of the solution after every half-minute and record the values in table 1. At exactly $2\frac{1}{2}$ minutes, add all of solid A to the acid. Stir the mixture gently with the thermometer. Measure the temperature of the mixture after every half-minute and record the values in table 1. (Retain the mixture for use in procedure B).


Table 1

Time (min)	0	1/2	1	11/2	2	2½	3	31/2	4	41/2	5
Temperature (°C)						X					

(5 marks)

(i) Plot a graph of temperature (Y-axis) against time.

(3 marks)



- Using the graph, determine the change in temperature, ΔT . (1 mark) (ii)
- Calculate the heat change for the reaction (Assume that the specific heat capacity (iii) of the mixture is $4.2ig^{-1}K^{-1}$ and the density of the mixture is $1g/cm^3$).

(2 marks)

Procedure B

Rinse the burette thoroughly and fill it with sodium hydroxide. Transfer all the contents of the 100ml. beaker used in procedure A into a 250ml. volumetric flask. Add distilled water to make up to the mark. Label this solution C. Using a pipette and a pipette filler, place 25.0 cm³ of solution C into a 250ml. conical flask. Add two or three drops of phenolpthalein indicator and titrate against sodium hydroxide. Record your results in table 2. Repeat titration two more times and complete table 2.

Table 2

14016-2	I	II	III
Final burette reading			
Initial burette reading			
Titre (cm ³)			

(3 marks)

Calculate the:

(i) average volume of sodium hydroxide used.

(I mark)

(ii) the number of moles of:

> I sodium hydroxide used

(1 mark)

П hydrochloric acid in 25cm³ of solution C

(1 mark)

Ш hydrochloric acid in 250cm³ of solution C (1 mark)

hydrochloric acid in 20.0cm³ of solution B IV

(1 mark)

hydrochloric acid that reacted with solid A.

(1 mark)

(c) Calculate the enthalpy of reaction between solid A and one mole of hydrochloric acid (show the sign of ΔH). (2 marks)

(a)	Place all of solid D in a clean dry test-tube and heat it strongly until no further chaoccurs. Test any gases produced with both blue and red litmus papers. Allow the residue to cool and use it for test (b).				
	Observations	Inferences			
4					
	(2 marks)	(1 mark)			
	Observations	Inferences			
	(1 mark)	(1 mark)			
	(1 mark)	(1 mark)			
(c)					
(c)	(i) Place about 1cm ³ of the m				
(c)	(i) Place about 1cm ³ of the m dropwise until in excess.	ixture in a test-tube and add aqueous ammonia			
(c)	(i) Place about 1cm ³ of the m dropwise until in excess.	ixture in a test-tube and add aqueous ammonia			
(c)	(i) Place about 1cm ³ of the m dropwise until in excess.	ixture in a test-tube and add aqueous ammonia			
(c)	(i) Place about 1cm ³ of the m dropwise until in excess.	ixture in a test-tube and add aqueous ammonia			

	well.	
	Observations	Inferences
	(1 mark)	(1 mark)
	evided with solid F . Carry of ces in the spaces provided.	ut the tests below. Write your observations
(a) Plac burn		on a metallic spatula and burn it using a Bunsen
	Observations	Inferences
	(1 mark)	(½ mark)
		$(\frac{1}{2} \text{mark})$ in a test-tube. Add about 6cm ³ of distilled water and the mixture for use in test (c).
	be the remaining of solid ${f F}$ in	n a test-tube. Add about 6cm³ of distilled water an
	ce the remaining of solid F in the contract of the contract	n a test-tube. Add about 6cm³ of distilled water an the mixture for use in test (c).

(c) (i)		To about 2cm ³ of the mixture, add a small amount of solid sodium hydroge carbonate.					
		Observations	Inferences				
		(1 mark)	(1 mark)				
	(ii)	To about 1cm ³ of the mixture, a and warm.	add 1cm³ of acidified potassium dichromate (VI)				
		Observations	Inferences				
		(1 mark)	(1 mark)				
(iii	(iii)	To about 2cm ³ of the mixture, a manganate (VII).	dd two drops of acidified potassium				
		Observations	Inferences				
		(1 mark)	(1 mark)				