

4.13.1 Home Science Paper 2 (441/2)

	DESCRIPTION	MAX SCORE	ACTUAL SCORE	REMARKS
1.	PRESENTATION			
(a)	Work well pressed ($\frac{1}{2}$) and folded ($\frac{1}{2}$).	1		
(b)	Label ($\frac{1}{2}$) firmly fixed ($\frac{1}{2}$) without concealing details ($\frac{1}{2}$) and on a single fabric ($\frac{1}{2}$).	2		
(c)	Pins/needles ($\frac{1}{2}$), and unnecessary threads ($\frac{1}{2}$) removed.	1		
	Sub-total	4		
2.	CUTTING OUT			
(a)	All nine pieces cut-out $\frac{1}{2} \times 9$	4 $\frac{1}{2}$		
(b)	Smooth cutting of the short front (1) and on straight grain ($\frac{1}{2}$)	1 $\frac{1}{2}$		
(c)	Smooth cutting of the short back (1) and on straight grain ($\frac{1}{2}$)	1 $\frac{1}{2}$		
(d)	Smooth cutting of the front waistband ($\frac{1}{2}$) and on straight grain ($\frac{1}{2}$)	1		
(e)	Smooth cutting of the back waistband ($\frac{1}{2}$) and on straight grain ($\frac{1}{2}$)	1		
(f)	Smooth cutting of the front facing ($\frac{1}{2}$) and on straight grain ($\frac{1}{2}$)	1		
(g)	Smooth cutting of the back facing ($\frac{1}{2}$) and on straight grain ($\frac{1}{2}$)	1		
(h)	Pocket smoothly cut along the edges (1) and on straight grain ($\frac{1}{2}$)	1 $\frac{1}{2}$		
	Sub-total	13		
3.	DART (Single Pointed)			
(a)	Straight stitchery (1) tapering to nothing ($\frac{1}{2}$)	1 $\frac{1}{2}$		
(b)	Thread well fastened at the tip (1).	1		
(c)	Correct length of dart (6cm) to within 2mm (5.8cm – 6.2cm) (1)	1		
(d)	Correct width at the broader end (0.5cm) to within 2mm along stitching line (0.3cm - 0.7cm) (1)	1		
(f)	Dart pressed towards C.B. $\frac{1}{2}$	$\frac{1}{2}$		
	Sub-total	5		

4.	PATCH POCKET			
(a)	Evenly folded top hem ($\frac{1}{2}$) and well neaten raw edges ($\frac{1}{2}$)	1		
(b)	Raw edges neatly tucked under (3x1) with the bottom edge well rounded ($\frac{1}{2}$) and smooth ($\frac{1}{2}$)	4		
(c)	Pocket attached with straight stitchery close to the edge (3 x $\frac{1}{2}$)	1 $\frac{1}{2}$		
(d)	Reinforcement of pocket opening 2 x $\frac{1}{2}$	1		
(e)	Evenly trimmed pocket seam allowances ($\frac{1}{2}$ x 3) (see through light)	1 $\frac{1}{2}$		
(f)	Flatness of pocket on WS (1) and RS (1)	2		
(g)	Correct shape (1) size (1) superimposed to within 2mm $\frac{1}{2}$	2 $\frac{1}{2}$		
	Sub-total	13$\frac{1}{2}$		
5.	DOUBLE STITCHED SEAM (if not double stitched seam give zero (0))			
(a)	First row of stitchery made with straight stitches (1)	1		
(b)	Raw edges well tucked under ($\frac{1}{2}$)	$\frac{1}{2}$		
(c)	Evenness of seam ($\frac{1}{2}$) and correct size 0.5cm to within 2mm ($\frac{1}{2}$)	1		
(d)	Flatness of seam on R.S. ($\frac{1}{2}$) and on W.S. ($\frac{1}{2}$)	1		
(e)	Fell facing back of short ($\frac{1}{2}$)	$\frac{1}{2}$		
(f)	Seam worked on right side ($\frac{1}{2}$)	$\frac{1}{2}$		
(g)	Straight stitchery (1) of the second row close to the edge (1)	2		
(h)	Two rows (1) of stitchery showing on right side (1)	2		
	Sub-total	8$\frac{1}{2}$		

6.	FRENCH SEAM (if not french seam give zero (0))			
(a)	Seam joined with straight stitchery (1 x 2)	2		
(b)	Seam well knife edged (1 x 2)	2		
(c)	Evenness of seam (1 x 2).	2		
(d)	Correct size (6mm) to within 2mm (4mm-8mm) (2)	2		
(e)	Seam pressed towards the back at the hem (½) and waist (½).	1		
(f)	Flatness at the hem on R.S. (1) and W.S. (1).	2		
(g)	Seam neatly finished on the RS i.e. no threads (1)	1		
	Sub-total	12		
7.	FACINGS			
(a)	Facings correctly joined at the sides (½ x 2) and seam (½ x 2)	2		
(b)	Facing joined to lower edge with straight stitchery (2 x 1)	2		
(c)	Seam trimmed (½ x 2) and under stitched (½ x 2)	2		
(d)	Facing well knifed edged (½ x 2) and held in place with straight stitchery (½ x 2)	2		
(e)	Raw edges well tucked under 2 x 1.	2		
(f)	Facing flat on RS (½ x 2) and on WS (½ x 2)	2		
(g)	Facing seam flash with side seam to within 2mm (1)	1		
(h)	Facing side seam flash with short side seam to within 2mm (1)	1		
(i)	Facings well top stitched with straight stitchery (2 x 1)	2		
	Sub-total	16		

8.	WAISTBAND			
(a)	Front and back waistband joined (2 x ½)	1		
(b)	Waistband top edge well knife edged (2 x 1)	2		
(c)	Waistband correctly attached to the waistline (2 x 1)	2		
(d)	Stitching line made with straight stitchery(2 x 1)	2		
(e)	Raw edges of waistband appropriately tucked under (2 x 1) (mark by impression)	2		
(f)	Waistband CF flash with short C.F. (½)	½		
(g)	Waistband CB flash with short CB (½)	½		
(h)	Flatness of waistband on RS (½) and WS (½)	1		
(i)	Evenness of waistband 3.3cm to within 2mm (3.1cm – 3.5cm) (2 x 1)	2		
(j)	Quality of tacking stitches (1)	1		
(k)	Waistband side seam (½) flash with short side seam to within 2mm (½)	1		
	Sub-total	15		
9.	QUALITY OF HEMMING STITCHES			
(a)	Stitches worked from right (½) to left (½)	1		
(b)	Stitches even (1) and not showing on the RS (1)	2		
	Sub-total	3		
	TOTAL 90÷2=45	45		