4.14.2 Home Science Paper 2 (441/2)

	DESCRIPTION	MAX SCORE	ACTUAL SCORE	REMARKS
1.	PRESENTATION		4,	
(a)	Work well pressed (1) and folded (½).	11/2		
(b)	Label (1/2) firmly fixed (1) without concealing		. 1	
	details (1/2) and on a single fabric (1/2).	21/2	2 1	
(c)	Pins/needles (1/2) tacking threads (1/2) and			
	unnecessary threads (1/2) removed.	1½		4
(d)	Made up for the left half (1).	1		
	Sub-total	61/2		
2.	CUTTING OUT			
(a)	All five pattern pieces cut-out (5 x ½).	21/2		
(b)	Smooth cutting of short CF (1) and on straight			
	grain (½)	11/2		
(c)	Smooth cutting of short CB (1) and on straight			
	grain (½)	1½		-
(d)	Waistband CB. smoothly cut (1/2) and on straight			
	grain (½)	1		
(e)	Waistband CF. smoothly cut (1/2) and on straight			
	grain (½)	1		
(f)	Pocket smoothly cut (2 x ½) and straight grain (2			
	x ½)	2		1
	Sub-total	91/2		
3.	DART			
(a)	Straight stitchery (1) tapering to a point (½)	11/2		
(b)	Thread ends well fastened at the point.	1/2		
(c)	Correct depth of dart 6.8cm to with 3mm (6.5-			
	7.1cm)	1		
(d)	Correct width of dart 0.8cm to within 3mm (0.5-			
	1.1cm)	1		
(e)	Dart pressed towards C.B.	1/2		
(f)	Flatness of dart of R.S. (½) and W.S. (½) (no pockets formed)			
	pocacis formed)	1		
	Sub-total	51/2		

4.	POCKET			
(a)	Front pocket attached to front short (1) with			
	straight stitchery (1) with R.S together(1)	3	2	-
(b)	Back pocket attached to back short (1) with		*	
	straight stitchery (1) with R.S together(1)	3		
(c)	Pocket bag facing down (1) and correct shape(1)	2		
(d)	Pocket mouth reinforced at the top (1/2) and			
	bottom(½)	1		
(e)	Smooth stitchery of curved edges of pocket			
	(1x2).	2		-
(f)	Pocket mouth left open	1		
	<			
	Sub-total	12		
5.	OPEN SEAM			-
(a)	Joined with straight stitchery (1x2)	2		
(b)	Evenness of seam (½ x 2)	1		-
(c)	Raw edges well neatened below the pocket	G		-
	(1x 2)	2		
(d)	Seam pressed open ($\frac{1}{2}x$ 2) and flat ($\frac{1}{2}x$ 2) on			
	W.S. $(\frac{1}{2} \times 2)$ and R.S. $(\frac{1}{2} \times 2)$.	4		
(e)	Width of seam 1.0cm to within 2mm (0.8cm –			
	1.2cm) (1x2)	2		
(f)	Seam snipped above and below the pocket			-
	(½ x 2)	1		
	Sub-total Sub-total	12		
6.	FRENCH SEAM (inner leg seam)			
1	If not French Seam give zero (0)			
(a)	Seam well-trimmed(1) no threads on the R.S(1)	2		
(b)	Straight stitchery.	1		
(c)	Seam well knife edged.	1		
(d)	Evenness of seam.	1		
(e)	Correct size (6mm) to within 2mm (4mm-8mm)	1		
(f)	Seam pressed towards the back at the hem	1/2		
(g)	Flatness of seam at hem R.S. (1/2) and W.S. (1/2)	1		
(h)	Hem folded and matching at the inner leg seam			
	to within 2mm.	1		
	Sub-total Sub-total	81/2		l

7.	WAISTBAND			-
(a)	Waistband joined with straight stitchery.	2		
(b)	Waistband well knife edged (1 x 2)	2		_
(c)	Waistband correctly attached with straight stitch-			
	ery (1 x 2) and not trimmed (½ x 2)	3	S	
(d)	Waistband even (1 x 2) and notches matching (1/2	, ,		s *
	x 2)	3		1
(e)	Raw edges of back waistband well tucked under.	1		
(f)	Flatness of waistband on R.S. (1) and W.S. (1).	2		
(g)	Correct width of waistband 3.7cm to within 3mm			
	(3.4cm – 4.0cm) (1 x 2).	2	= 1	
(h)	Waistband edges flash with CF (½) and C.B. (½).			
	Waistband interfaced.	1	*	
(i)	Waistband evenly top stitched.	2		
(j)	Quality of even tacking (if not even tacking	2		
(k)	award zero)			
		2	, ×	-
	Sub-total	22		
8.	HEM MANAGEMENT		И.	
		l	1	
(a)	Raw edges well turned (2) and held down with	-	-	
(a)	Raw edges well turned (2) and held down with tacking stitches (1) using a single thread (1)	4	a 2	
(a) (b)		4		
	tacking stitches (1) using a single thread (1)	2	*	
	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the	20		
(b)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1).	2		
(b) (c)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2).	2 4		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2)	2 4		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6	2 4 2		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6 – 3.0cm) (1 x 2)	2 4 2		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6 – 3.0cm) (1 x 2) Sub-total	2 4 2		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6 – 3.0cm) (1 x 2)	2 4 2		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6 – 3.0cm) (1 x 2) Sub-total Total - 90/2	2 4 2		
(b) (c) (d)	tacking stitches (1) using a single thread (1) Machine stitches straight (1) and close to the edge (1). Flatness of hem on R.S. (1x2) and W.S. (1 x 2). Evenness of hem (1 x 2) Correct width of hem 2.8cm to within 2mm (2.6 – 3.0cm) (1 x 2) Sub-total	2 4 2		